

### 4 Different Front-Load Series

Hotsy's line of front-loading automatic parts washers gives you a choice of load capacities ranging from 500 lbs. to 2,500 lbs. and internal load heights from 30" to 60".



**Easy access debris screen** prevents foreign objects from falling into reservoir.



**Integrated oil-skimmer** helps remove oil from cleaning solution in reservoir.

**Note: The Oil Drain Container, Small Parts Basket, Parts Tree, and Containment Ring previously included as standard accessories must now be purchased separately. They may be purchased as part of the Preferred Options Package, or individually**

### 7530 SERIES



- Vertical Seal-less Pump
  - 3 HP
  - 50 GPM
  - 45 PSI
- 500 lbs. Load Capacity
- 40 Gal. Sump Capacity
- 6 kW Heater

**65"H x 45"W x 48"D**

The 7530 Series is equipped with standard fixed wheels. Note: Oil Drain Container, Small Parts Basket, Parts Tree, and Containment Ring are now **OPTIONAL**.



MODEL	PART NO.	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	AMPS	SHIP WT (lbs)
7530	1.043-383.0	30"	25"	230/1	38	779
7531	1.043-382.0	30"	25"	208/1	40	779
7532	1.043-385.0	30"	25"	230/3	23	779
7533	1.043-386.0	30"	25"	460/3	11	779
7534	1.043-387.0	30"	25"	575/3	9	779
7535	1.043-384.0	30"	25"	208/3	24	779

### 7650 SERIES



- Vertical Seal-less Pump
  - 3 HP
  - 50 GPM
  - 45 PSI
- 750 lbs. Load Capacity
- 50 Gal. Sump Capacity
- 6 kW Heater

**75"H x 50"W x 51"D**

The 7650 Series is equipped with standard fixed wheels. Note: Oil Drain Container, Small Parts Basket, Parts Tree, and Containment Ring are now **OPTIONAL**.



MODEL	PART NO.	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	AMPS	SHIP WT (lbs)
7650	1.043-405.0	40"	28"	230/1	38	850
7651	1.043-404.0	40"	28"	208/1	40	850
7652	1.043-407.0	40"	28"	230/3	23	850
7653	1.043-408.0	40"	28"	460/3	11	850
7654	1.043-409.0	40"	28"	575/3	9	850
7655	1.043-406.0	40"	28"	208/3	24	850

### 7660 SERIES



- Vertical Seal-less Pump
  - 5 HP
  - 110 GPM
  - 50 PSI
- 750 lbs. Load Capacity
- 50 Gal. Sump Capacity
- 9 kW Heater

**83"H x 50"W x 51"D**

The 7660 Series is equipped with standard fixed wheels. Note: Oil Drain Container, Small Parts Basket, Parts Tree, and Containment Ring are now **OPTIONAL**.



MODEL	PART NO.	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	AMPS	SHIP WT (lbs)
7660	1.043-411.0	48"	28"	230/1	58	929
7661	1.043-410.0	48"	28"	208/1	60	929
7662	1.043-413.0	48"	28"	230/3	36	929
7663	1.043-414.0	48"	28"	460/3	17	929
7664	1.043-415.0	48"	28"	575/3	14	929
7665	1.043-412.0	48"	28"	208/3	37	929

### 7870 SERIES



- Vertical Seal-less Pump
  - 7.5 HP
  - 200 GPM
  - 50 PSI
- 5000 lbs. Load Capacity
- 156 Gal. Sump Capacity
- 18 kW Heater

**106"H x 66"W x 75"D**

No wheels available on this Series.


*Shown with optional filters*



Note: Oil Drain Container, Small Parts Basket, Parts Tree, and Containment Ring are now **OPTIONAL**.

MODEL	PART NO.	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	AMPS	SHIP WT (lbs)
7872*	1.043-438.0	60"	48"	230/3	67	2263
7873*	1.043-439.0	60"	48"	460/3	32	2263
7874*	1.043-440.0	60"	48"	575/3	26	2263

\*All models require flat bed shipping - call for estimated delivery date



**Hotsy's internal roll-away door** saves floor space and prevents wash water from dripping on the shop floor.

PART NO.	DESCRIPTION	7530	7650	7660	7870
<b>PREFERRED OPTION PACKAGES - FIELD INSTALLED</b>					
<b>8.914-906.0</b>	Includes Small Parts Basket, Parts Tree, Containment Ring, Oil Drain Container	■			
<b>8.915-493.0</b>	Includes Small Parts Basket, Parts Tree, Containment Ring, Oil Drain Container		■	■	
<b>8.913-702.0</b>	Includes Small Parts Basket, Parts Tree, Containment Ring, Oil Drain Container				■
<b>AUTOMATIC WATER FILL - FIELD INSTALLED</b>					
<b>8.915-113.0</b>	Automatic Water Fill	■	■	■	
<b>8.749-394.0</b>	Automatic Water Fill				■
<b>CONTAINMENT RINGS - FIELD INSTALLED</b>					
<b>8.731-256.0</b>	Containment Ring, 25"	■			
<b>8.705-957.0</b>	Containment Ring, 28"		■	■	
<b>8.749-392.0</b>	Containment Ring, 48"				■
<b>FILTRATION SYSTEM - FIELD INSTALLED</b>					
<b>8.915-145.0</b>	Filtration	■			
<b>8.915-144.0</b>	Filtration & Sump Sweep	■			
<b>8.915-378.0</b>	Filtration		■	■	
<b>8.915-379.0</b>	Filtration & Sump Sweep		■	■	
<b>8.916-341.0</b>	Filtration, 2 Stage				■
<b>8.916-342.0</b>	Filtration & Sump Sweep, 2 Stage				■
<b>INSERTS-DEBRIS SCREEN - FIELD INSTALLED</b>					
<b>8.915-143.0</b>	60 Mesh Insert for Debris Screen Tray	■			
<b>8.915-316.0</b>	60 Mesh Insert for Debris Screen Tray		■	■	
<b>8.749-395.0</b>	60 Mesh Insert for Debris Screen Tray				■
<b>PARTS TREE - FIELD INSTALLED</b>					
<b>8.915-124.0</b>	Parts Tree, 4 Hook	■	■	■	
<b>8.749-396.0</b>	Parts Tree, 4 Hook				■
<b>HEIGHT EXTENSION - FACTORY INSTALLED</b>					
<b>8.916-114.0</b>	Height Extension, 12"			■	
<b>8.916-365.0</b>	Height Extension, 12"				■
<b>TIMERS - FIELD INSTALLED</b>					
<b>8.725-267.0</b>	Timer, Heater 24 hour 7 day (Field Installed)	■	■	■	■
<b>8.725-268.0</b>	Timer, Heater & Skimmer 24 hour 7 day (Field Installed)	■	■	■	■
<b>TURNTABLE MATS - FIELD INSTALLED</b>					
<b>8.902-075.0</b>	Rubber Turntable Mat	■			
<b>8.915-324.0</b>	Rubber Turntable Mat		■	■	
<b>8.749-391.0</b>	Rubber Turntable Mat				■
<b>TWO-TIER TURNTABLES - FIELD INSTALLED</b>					
<b>8.915-120.0</b>	Two-Tier Turntable	■			
<b>8.915-351.0</b>	Two-Tier Turntable		■		
<b>8.915-352.0</b>	Two-Tier Turntable			■	
<b>8.749-492.0</b>	Two-Tier Turntable				■
<b>MISCELLANEOUS - FIELD INSTALLED</b>					
<b>9.802-283.0</b>	Hour Meter	■	■	■	■
<b>8.731-254.0</b>	Light Duty Small Parts Basket (8"x 8"x 4")	■	■	■	■
<b>8.913-702.0</b>	Oil Drain Container	■	■	■	■
<b>8.707-034.0</b>	Evaporator, Wastewater Drum	■	■	■	■

# AUTOMATIC PARTS WASHERS

## Top-Load

### 7230 SERIES



52"H x 32"W x 42"D



The **7230 Series** is a compact top-load, automatic, aqueous parts washer with a 22" turntable and 16" work height that fits most commercial applications. The 7230 is standard equipped with casters.

- Pump with Close-Coupled Seals
  - 1 HP • 28 GPM • 30 PSI
- 500 lbs. Load Capacity
- 23 Gal. Sump Capacity

MODEL	PART NO.	WORK HEIGHT	TURNTABLE DIAMETER	VOLT/PH	HEATER kW	AMPS	SHIP WT (lbs)
S7230-1	1.043-340.0	16"	22"	115/1	2	15	461
7230A	1.043-337.0	16"	22"	230/1	4.5	28	461
7231	1.043-375.0	16"	22"	208/1	4.5	30	461
7232	1.043-338.0	16"	22"	230/3	6	20	461
7233	1.043-339.0	16"	22"	460/3	6	10	461
7234	1.043-341.0	16"	22"	575/3	6	8	461
7235	1.043-377.0	16"	22"	208/3	6	21	461

The Small Parts Basket, Containment Ring and Automatic Oil Skimmer previously included as standard accessories must now be purchased separately. They may be purchased as part of the Preferred Options Package, or individually.

### 7320 SERIES

The **7320 Series** is our largest and most industrial top-load, automatic, aqueous parts washer featuring a 25" turntable driven by a 3HP pump with a working height of 18". The 7320 Series is standard equipped with fixed wheels.



50"H x 40"W x 51"D



Shown with options

- Vertical Seal-less Pump
  - 3HP
  - 50 GPM
  - 45 PSI
- 500 lbs. Load Capacity
- 50 Gal. Sump Capacity

MODEL	PART NO.	WORK HEIGHT	TURNTABLE DIAMETER	VOLT/PH	HEATER kW	AMPS	SHIP WT (lbs)
7320A	1.043-346.0	18"	25"	230/1	6	38	722
7321	1.043-376.0	18"	25"	208/1	6	40	722
7322	1.043-347.0	18"	25"	230/3	6	23	722
7323	1.043-348.0	18"	25"	460/3	6	11	722
7324	1.043-349.0	18"	25"	575/3	6	9	722
7325	1.043-378.0	18"	25"	208/3	6	24	722

The Small Parts Basket, Containment Ring and Automatic Oil Skimmer previously included as standard accessories must now be purchased separately. They may be purchased as part of the Preferred Options Package, or individually.

OPTIONS 7230 SERIES	
PART NO.	DESCRIPTION
<b>PREFERRED OPTION PACKAGES - FIELD INSTALLED</b>	
8.725-259.0	Includes Small Parts Basket, Containment Ring, Oil Drain Container
<b>CONTAINMENT RINGS - FIELD INSTALLED</b>	
8.705-955.0	Containment Ring, 22"
<b>DETAIL &amp; POWER BRUSH - FIELD INSTALLED</b>	
8.725-250.0	Detail Brush (with pump) - Field Installed
8.725-258.0	Power Brush (pneumatic) - Field Installed
8.725-244.0	Detail and Power Brush Complete Kit - Field Installed
<b>TIMERS - FIELD INSTALLED</b>	
8.705-963.0	Timer, Heater, 7 day, 115V 15 amp for S7230-1 only (Field Installed)
8.725-267.0	Timer, Heater, 7 day (Field Installed)
8.725-268.0	Timer, Heater & Skimmer, 7 day (Field Installed)
<b>MISCELLANEOUS - FIELD INSTALLED</b>	
8.725-262.0	Automatic Water Fill
8.731-254.0	Light Duty Small Parts Basket (8"x 8"x 4")
9.802-283.0	Hour Meter
8.725-255.0	60 Mesh Insert for Debris Screen Tray
8.902-074.0	Rubber Turntable Mat
8.707-034.0	Evaporator, Wastewater Drum

OPTIONS 7320 SERIES	
PART NO.	DESCRIPTION
<b>PREFERRED OPTION PACKAGES - FIELD INSTALLED</b>	
8.725-260.0	Includes Small Parts Basket, Containment Ring, Oil Drain Container
<b>CONTAINMENT RINGS - FIELD INSTALLED</b>	
8.731-256.0	Containment Ring, 25"
<b>DETAIL &amp; POWER BRUSH - FIELD INSTALLED</b>	
8.725-252.0	Detail Brush (with pump) - Field Installed
8.725-258.0	Power Brush (pneumatic) - Field Installed
8.725-246.0	Detail and Power Brush Complete Kit - Field Installed
<b>FILTRATION - FIELD INSTALLED</b>	
8.725-253.0	Filtration
8.725-254.0	Filtration & Sump Sweep
<b>TIMERS - FIELD INSTALLED</b>	
8.725-268.0	Timer, Heater & Skimmer 24 hour 7 day (Field Installed)
8.725-267.0	Timer, Heater 24 hour 7 day (Field Installed)
<b>MISCELLANEOUS - FIELD INSTALLED</b>	
8.725-261.0	Automatic Water Fill
8.731-254.0	Light Duty Small Parts Basket (8"x 8"x 4")
9.802-283.0	Hour Meter
8.915-316.0	60 Mesh Insert for Debris Screen Tray
8.902-075.0	Rubber Turntable Mat
8.913-702.0	Oil Drain Container
8.707-034.0	Evaporator, Wastewater Drum